



We create chemistry

# Maize Solutions Catalogue

For higher yields in maize






# Get product information from our website



1 → [www.agro.basf.co.ke](http://www.agro.basf.co.ke)









2 → [Products](#)

3 → [Labels, MSDSs & Brochures](#)

Technical information →

4 → **DOWNLOADS AND LINKS**

Label	 Cabrio® 250ml label
	 Cabrio® 1L label
MSDS	 Cabrio® SDS
Brochure	 Cabrio® flyer
Cabrio® label	 Download Cabrio® label
Cabrio® MSDS	 Download Cabrio® MSDS

## Content

---

- 03    Abacus® Advance 125 SE
- 04    Integrity® 668 EC
- 05    Stomp® 455 CS
- 06    Stellar® Star 210 SL
- 07    Basagran® 480 SL
- 08    Nomax® 150 SC
- 09    Fastac® 100 EC
- 10    Basta® 200 SL
- 11    Termidor® 96 SC
- 11    Fendona® 60 SC
- 11    Goliath® 0.05% Gel
- 11    Storm® 20G BB
- 12    Digital learning
- 13    Explore our solutions
- 14    Original vs Generic
- 15    Guidelines for Safe and Effective Use of Crop Protection Products





The standard  
in cereals

**BASF**

We create chemistry

## Abacus® Advance 125 SE

Abacus® Advance is a premium fungicide for maize and wheat with AgCelence® effect.

### General Information

Product type	Fungicide
Crops	Maize and Wheat
Dose rate	1.6 L/Ha in Maize and 1 L/Ha in Wheat or 160 ml/20L in Maize & 100 ml/20L in Wheat
Diseases	Grey leafspot maize, Stem rust, Leaf/Yellow rust, Septoria in wheat
Active ingredients	Xemium® (fluxapyroxad) 62.5 g/l & Epoxiconazole 62.5 g/l

*Before applying this product, please refer to the information on the product label.*

# The revolutionary herbicide



**□ • BASF**  
We create chemistry

## Integrity® 668 EC

Integrity® is a broad-spectrum pre-emergence herbicide for the control of broad leaf weeds and grasses in maize and sugarcane.

General Information	
<b>Product type</b>	Herbicide
<b>Crops</b>	Maize and sugarcane
<b>Dose rate</b>	1 L/Ha in maize & 1.5 L/Ha in sugarcane or 100ml/20L in maize & 150ml/20L in sugarcane
<b>Weeds</b>	Annual grasses and annual broadleaf weeds
<b>Active ingredients</b>	Kixor®(Saflufenacil) 68g/l & Dimethenamid-p 600g/l

Before applying this product, please refer to the information on the product label.



**Your weed solution  
for all seasons**

**■ BASF**

We create chemistry

## Stomp® 455 CS

Stomp® is a pre-emergent herbicide with unique micro-encapsulated formulation for excellent control of tough grasses (*Rottboellia* spp & *Digitaria* spp) and broadleaf weeds in maize, wheat, barley & sugarcane.

### General Information

<b>Product type</b>	Herbicide
<b>Crops</b>	Wheat, barley, maize and sugarcane
<b>Dose rate</b>	3 L/Ha in maize, wheat and barley & 3.5 L/Ha in sugarcane 300 ml/ 20L in maize, wheat and barley & 350 ml/ 20L in sugarcane
<b>Weeds</b>	Broad-leaved weeds and annual grass weeds
<b>Active ingredients</b>	Pendimethalin 455 g/l

### Registration in other countries

Crops	Target	Dose rate
Rice, Peas, Beans, Potatoes, Carrots, Onion, Garlic, Leeks, Artichokes, Asparagus, Tomatoes, Transplanted vegetables, Orchards, Sugarcane, Turf, Peanuts, Grain sorghum	Annual grasses and broadleaf weeds	2–3.5 L/Ha

Before applying this product, please refer to the information on the product label.





**Still on time.**



**BASF**

We create chemistry

## Stellar® Star 210 SL

Stellar® Star is a broad-spectrum, post-emergence maize herbicide with the widest flexibility of application in maize and sugarcane.

General Information	
<b>Product type</b>	Herbicide
<b>Crops</b>	Maize and sugarcane
<b>Dose rate</b>	1 L/Ha in maize and 1.5 L/Ha in Sugarcane 100 ml/20L in maize & 150 ml/20L in Sugarcane
<b>Weeds</b>	Annual and perennial grasses and broad-leaved weeds
<b>Active ingredients</b>	Topramezone 50g/l & Dicamba 160g/l

*Before applying this product, please refer to the information on the product label.*





# Unique Selectivity.

**■ • BASF**

We create chemistry

## Basagran® 480 SL

Basagran® is a post-emergent herbicide for the control of broadleaf weeds and yellow nutsedge in maize, beans and potatoes.

### General Information

<b>Product type</b>	Herbicide
<b>Crops</b>	Maize, Beans and Potato
<b>Dose rate</b>	2-3 L/Ha or 200 ml/20L
<b>Weeds</b>	Broad-leafed weeds and nutsedge
<b>Active ingredients</b>	Bentazone 480 g/l

### Registration in other countries

Crops	Target	Dose rate
Maize, beans, rice, soybeans, cereals & potatoes	Broad-leaf weeds & Nutsedge	2-3 L/Ha

*Before applying this product, please refer to the information on the product label.*

# The epitome of insect control

**BASF**

We create chemistry

## Nomax<sup>®</sup> 150 SC

Nomax<sup>®</sup> is a broad-spectrum insecticide for control of Fall armyworm in maize with an excellent knockdown and residual activity.

### General Information

<b>Product type</b>	Insecticide
<b>Crops</b>	Maize
<b>Dose rate</b>	0.2 L/Ha or 20 ml/20L
<b>Insect pests</b>	Fall armyworm
<b>Active ingredients</b>	Teflubenzuron 75g/l & Alphacypermethrin 75g/l

### Registration in other countries

Crops	Target	Dose rate
Broad range of crops: Wheat, Barley, Maize, Rice, Tomatoes, Potatoes, Vegetables, Cotton, Cocoa, Coffee	Caterpillars and piercing & sucking pests, Mirids bugs	0.2–0.27 L/Ha

Before applying this product, please refer to the information on the product label.

# The original Alpha-cypermethrin

**□ • BASF**  
We create chemistry

## Fastac® 100 EC

Fastac® is a broad-spectrum fast acting insecticide for chewing pests and sucking pests.

### General Information


<b>Product type</b>	Insecticide
<b>Crops</b>	Beans, Coffee and Flowers
<b>Dose rate</b>	0.3 L/Ha or 3-6 ml/20L
<b>Insect pests</b>	Scales, leaf miner, thrips & caterpillars
<b>Active ingredients</b>	Alpha-cypermethrin 100 g/l

### Registration in other countries

Crops	Target	Dose rate
Broad range of crops: Apricot, Citrus, Peaches, Apples, Plums, Pears, Grapes, Wheat, Barley, Maize, Rice, Beans, Peas, Date palms, Cucumber, Cabbage, Tomatoes, Potatoes, Cotton, Forestry, Sugar beet & many more	Broad spectrum of pest controlled (piercing sucking & chewing biting pests)	0.15-0.3 L/Ha

*Before applying this product, please refer to the information on the product label.*





**Start clean and  
stay clean**

**■ BASF**

We create chemistry

## Basta® 200 SL

Basta® is a non-selective, post-emergent herbicide for the control of grasses and broadleaf weeds.

General Information	
Product type	Herbicide
Crops	Coffee, Tea, Bananas, Sisal; Zero/minimum tillage in Barley, Wheat, Passion fruits, Fruit trees fields; Bush clearing of shrubs in no cropped land
Dose rate	2 L/Ha or 200 ml/20L
Weeds	Annual grasses and broad-leaf weeds
Active ingredients	Glufosinate-ammonium 200 g/l

*Before applying this product, please refer to the information on the product label.*





**BASF**

We create chemistry

## Termidor® 96 SC

Termidor® is a termiticide for the control of Termites in buildings and construction industry that offers a long residual effect.

**Dose rate** 250 ml/100L

## Fendona® 60 SC

Fendona® is a high performance residual insecticide with rapid knockdown.

**Dose rate** 50 ml/5L

## Goliath® 0.05% Gel

Goliath® is the fastest, most cost-effective cockroach treatment solution.

## Storm® 20G BB

Storm® is the fastest, most effective solution for indoor rat and mouse control.



*Before applying this product, please refer to the information on the product label.*

# BASF Kilimo

## DIGITAL LEARNING




Text the word '**digital**' to 23004 to join our world of digitization and gain access to BASF digital channels for free.

**BASF**  
We create chemistry

# Explore our solutions by target Crop, Pest or Indication

1  [www.agro.basf.co.ke](http://www.agro.basf.co.ke)

8 Results

## Crops

- ☒ Cereals
- ☐ Maize
- ☐ Ornamentals
- ☐ Plantations
- ☒ Potatoes
- ☐ Pulses
- ☐ Sugarcane
- ☐ Vegetables

## Pest group

- ☐ Fungal diseases
- ☐ Pests (insects & Rodents)
- ☐ Weeds

## Product type

- ☒ Fungicides
- ☒ Herbicides
- ☒ Insecticides
- ☐ Rodenticides
- ☐ Termiticides

Remove all ×

Cereals ×

Potatoes ×

Fungicides ×

Insecticides ×

Herbicides ×

Fungicides



Fungicides



Herbicides



→ Abacus® Advance 125 SE

→ Acrobat® 69% WG

→ Basagran® 480 SL

Herbicides



Fungicides



Fungicides



→ Basta® 200 SL

→ Ceriax® 149.8 EC

→ Orvego® 525 SC

# Original Molecule vs Generic

## Why use original products from BASF?

Use BASF branded products for effective and sustainable farm management.

<b>Formulation</b>	<b>Packaging</b>
<ul style="list-style-type: none"><li>• Consistent a.i. content and quality.</li><li>• Highest performance.</li><li>• Strong adhesion, more product on the crop.</li></ul>	<ul style="list-style-type: none"><li>• Eco friendly packaging easy and flexible to handle.</li><li>• Special cap with integrated seal.</li><li>• Embossed logo that assures originality.</li></ul>
<b>Innovation</b>	<b>Local experts on the ground</b>
<ul style="list-style-type: none"><li>• Continuous investment in research and development.</li><li>• Reliable product development that increases yield and cash flow.</li><li>• Designing solutions that meet the demands of the market and environment.</li></ul>	<ul style="list-style-type: none"><li>• Excellent customer care.</li><li>• Knowledge transfer.</li><li>• Strong partnership and interaction.</li></ul>
<b>Sustainability</b>	

- Your partner for long term sustainable farming business.
- Developing an intergrated approach, including various modes of action to maintain a high level of efficacy for the future.
- A product stewardship approach to guarantee the best long term results.

## Technical and sales support





# Guidelines for the safe and effective use of crop protection products



## Professional Farmer Kit

The professional farmer kit helps farmers to minimize exposure to crop protection products.

## Step 1 - Protective Clothing

Make sure you wear protective clothing in the correct manner at all times.



**Safety Goggles & Protective Cap**



**Face Mask**



**Nitrile Rubber Gloves**



**Heavy Duty or Safety Boots**

## Step 2 - Pre Spraying Precautions

- Do not mix the chemicals without wearing your protective clothing.
- Ensure that sprayer used for the mixing process has no leakages.
- Do not use your hands to mix chemical products as they are harmful to your skin. Use a stick or suitable stirring agent.
- Use a funnel to pour mixed chemicals into the sprayer to avoid spillage.

## Step 3 - Precautions while Spraying

- Ensure you are wearing your protective clothing whilst spraying.
- Do not use your mouth to open any tight packaging.
- Never consume any food or beverage whilst spraying your crop.
- Always read the country specific label before application.

## Step 4 - Precautions after Spraying

- Wash contaminated skin and clothing with soap and water after use.
- Rinse container thoroughly, puncture and dispose off safely.



## At BASF, we create chemistry for a sustainable future.

The motivation that drives us is our aspiration: Finding the right balance for success – for farmers, agriculture and future generations.

We connect brilliant product innovation and game-changing thinking with in-depth farming knowledge and practical solutions to help farmers balance the demands of society and the needs of the planet.



We create chemistry

### **BASF East Africa Limited**

☎ +254 20 407 2000 📠 +254 702 191 654

✉ P.O. Box 24271, Nairobi, 00100

📍 The Pavilion, 6<sup>th</sup> Floor Lower Kabete Road. Nairobi, Kenya

🌐 [www.facebook.com/BASF.AgriculturalSolutions.KE](https://www.facebook.com/BASF.AgriculturalSolutions.KE)

🌐 [www.agro.basf.co.ke](http://www.agro.basf.co.ke)

National Sales Manager

Mobile: +254 723 946 701

**Notice:** The recommendations of use issued for each product should be carefully observed. Please read the label and product information for instructions on complete directions before use.

