



We create chemistry

# Vegetables Solutions Catalogue

For higher yields in vegetables






# Get product information from our website



1 → [www.agro.basf.co.ke](http://www.agro.basf.co.ke)









2 → Products

3 → Labels, MSDSs & Brochures

Technical information →

4 → DOWNLOADS AND LINKS

|               |  |
|---------------|--|
| Label         |  Cabrio® 250ml label     |
|               |  Cabrio® 1L label       |
| MSDS          |  Cabrio® SDS            |
| Brochure      |  Cabrio® flyer          |
| Cabrio® label |  Download Cabrio® label |
| Cabrio® MSDS  |  Download Cabrio® MSDS  |



## Content

---

- 03 **Acrobat® 69% WG**
- 04 **Orvego® 525 SC**
- 05 **Kumulus® 80% DF**
- 06 **Basagran® 480 SL**
- 07 **Fastac® 100 EC**
- 08 **Nomolt® 150 SC**
- 09 **Nomax® 150 SC**
- 10 **Bellis® 38% WG**
- 11 **Secure® 240 SC**
- 12 **Priaxor® 225 EC**
- 13 **Basta® 200 SL**
- 14 **Termidor® 96 SC**
- 14 **Fendona® 60 SC**
- 14 **Goliath® 0.05% Gel**
- 14 **Storm® 20G BB**
- 15 Digital learning
- 16 Explore our solutions
- 17 Original vs Generic
- 18 Guidelines for Safe and Effective Use of Crop Protection Products



## A trustworthy product for blight control

**BASF**

We create chemistry

# Acrobat® 69% WG

Acrobat® is a reliable fungicide with systemic and contact activity for the control of blight in tomatoes and potatoes.

### General Information

|                           |                         |
|---------------------------|-------------------------|
| <b>Product type</b>       | Fungicide               |
| <b>Crops</b>              | Tomatoes and Potatoes   |
| <b>Dose rate</b>          | 2 Kg/Ha or 50g/20L      |
| <b>Diseases</b>           | Early and late blight   |
| <b>Active ingredients</b> | Dimethomorph & Mancozeb |

### Registration in other countries

| <b>Crops</b>                                 | <b>Target</b>                             | <b>Dose rate</b> |
|--|---|------------------|
| Grapes, Vegetables,<br>Tobacco & Ornamentals | Late blight, Downy mildew,<br>Black shank | 2-2.5 Kg/Ha      |

Before applying this product, please refer to the information on the product label.



## Confidence and Convenience for the grower

**BASF**  
We create chemistry

## Orvego® 525 SC

Orvego® is a premium fungicide with excellent and long-lasting preventive and curative activity against late blight and downy mildew.

### General Information

|                           |  |
|---------------------------|--|
| <b>Product type</b>       | Fungicide                              |
| <b>Crops</b>              | Potato                                 |
| <b>Dose rate</b>          | 0.8 L/Ha or 16 ml/20L                  |
| <b>Diseases</b>           | Late blight and Downy mildew           |
| <b>Active ingredients</b> | <i>Dimethomorph &amp; Ametoctradin</i> |

### Registration in other countries

| <b>Crops</b>                             | <b>Target</b>             | <b>Dose rate</b> |
|--|---------------------------|------------------|
| Tomato, Vegetables,<br>Cucurbits, Grapes | Late blight, Downy mildew | 0.8 L/Ha         |

*Before applying this product, please refer to the information on the product label.*



# Your premium Sulphur for premium crop



**BASF**

We create chemistry

## Kumulus® 80% DF

Kumulus® is a premium fungicide for the control of powdery mildew and spider mites.

### General Information

|                           |                                 |
|---------------------------|---------------------------------|
| <b>Product type</b>       | Fungicide                       |
| <b>Crops</b>              | Tomatoes and Ornamentals        |
| <b>Dose rate</b>          | 5 Kg/Ha or 100g/20L             |
| <b>Diseases</b>           | Powdery mildew and Spider mites |
| <b>Active ingredients</b> | Sulphur 80% w/w                 |

### Registration in other countries

| Crops                 | Target                          | Dose rate |
|-----------------------|---------------------------------|-----------|
| Vegetables and Citrus | Powdery mildew and spider mites | 5 Kgs/Ha  |

Before applying this product, please refer to the information on the product label.



# Unique Selectivity.

**BASF**

We create chemistry

## Basagran® 480 SL

Basagran® is a post-emergent herbicide for the control of broadleaf weeds and yellow nutsedge in maize, beans and potatoes.

### General Information

|                           |                                 |
|---------------------------|---------------------------------|
| <b>Product type</b>       | Herbicide                       |
| <b>Crops</b>              | Maize, Beans and Potato         |
| <b>Dose rate</b>          | 2-3 L/Ha or 200 ml/20L          |
| <b>Weeds</b>              | Broad-leaved weeds and nutsedge |
| <b>Active ingredients</b> | <i>Bentazone</i>                |

### Registration in other countries

| <b>Crops</b>  | <b>Target</b>                 | <b>Dose rate</b> |
|---|-------------------------------|------------------|
| Rice, dry beans, green beans, peanuts, soybeans, peas, grain sorghum, cereals, paprika, red & green peppers | Broad-leaved weeds & Nutsedge | 2-3 L/Ha         |

*Before applying this product, please refer to the information on the product label.*



# The original Alpha-cypermethrin

**BASF**

We create chemistry

## Fastac® 100 EC

Fastac® is a broad-spectrum fast acting insecticide for chewing pests and sucking pests.

### General Information

|                           |   |
|---------------------------|---|
| <b>Product type</b>       | Insecticide                               |
| <b>Crops</b>              | Beans, Coffee and Flowers                 |
| <b>Dose rate</b>          | 0.3 L/Ha or 6 ml/20L                      |
| <b>Insect pests</b>       | Scales, leaf miner, thrips & caterpillars |
| <b>Active ingredients</b> | <i>Alpha-cypermethrin</i>                 |

### Registration in other countries

| Crops  | Target  | Dose rate |
|--|---|-----------|
| Broad range of crops: Apricot, Citrus, Peaches, Apples, Plums, Pears, Grapes, Wheat, Barley, Maize, Rice, Beans, Peas, Date palms, Cucumber, Cabbage, Tomatoes, Potatoes, Cotton, Forestry, Sugar beet & many more | Broad spectrum of pest controlled (piercing sucking & chewing biting pests) | 0.3 L/Ha  |

Before applying this product, please refer to the information on the product label.



Realize potential.

**□ • BASF**

We create chemistry

## Nomolt® 150 SC

Nomolt® is an excellent growth regulator insecticide for control of leaf miner, aphid and thrips.

### General Information

|                           |                                  |
|---------------------------|----------------------------------|
| <b>Product type</b>       | Insecticide                      |
| <b>Crops</b>              | Coffee, Cabbage and French beans |
| <b>Dose rate</b>          | 0.75 L/Ha or 15 ml/20L           |
| <b>Insect pests</b>       | Leaf miner, aphid and thrips     |
| <b>Active ingredients</b> | <i>Teflubenzuron</i>             |

### Registration in other countries

| Crops              | Target                     | Dose rate   |
|--------------------|----------------------------|-------------|
| Cotton, Vegetables | White Fly and Caterpillars | 0.75–1 L/Ha |

Before applying this product, please refer to the information on the product label.





# The epitome of insect control

**BASF**  
We create chemistry

## Nomax<sup>®</sup> 150 SC

Nomax<sup>®</sup> is a broad-spectrum insecticide for control of Fall armyworm in maize with an excellent knockdown and residual activity.

### General Information

|                           |                                   |
|---------------------------|-----------------------------------|
| <b>Product type</b>       | Insecticide                       |
| <b>Crops</b>              | Maize                             |
| <b>Dose rate</b>          | 0.2 L/Ha or 20 ml/20L             |
| <b>Insect pests</b>       | Fall armyworm                     |
| <b>Active ingredients</b> | Teflubenzuron & Alphacypermethrin |

### Registration in other countries

| <b>Crops</b>  | <b>Target</b>  | <b>Dose rate</b> |
|---|--|------------------|
| Broad range of crops: Wheat, Barley, Maize, Rice, Tomatoes, Potatoes, Vegetables, Cotton, Cocoa, Coffee | Caterpillars and piercing & sucking pests, Mirids bugs | 0.2–0.27 L/Ha    |

Before applying this product, please refer to the information on the product label.





The perfect partner  
in disease control

**BASF**

We create chemistry

## Bellis® 38% WG

Bellis® is a superior fungicide for the control of major diseases in vegetables and potatoes.

### General Information

|                           |   |
|---------------------------|---|
| <b>Product type</b>       | Fungicide   |
| <b>Crops</b>              | Ornamentals   |
| <b>Dose rate</b>          | 0.4 Kg/Ha - 0.8 Kg/Ha or 10g - 16g/20L                    |
| <b>Diseases</b>           | Blight, Botrytis, Powdery and Downy mildew and Black Spot |
| <b>Active ingredients</b> | <i>Boscalid &amp; Pyraclostrobin</i>                      |

### Registration in other countries

| Crops  | Target   | Dose rate     |
|--|--|---------------|
| Tomatoes, Potatoes, onion, capsicum, vegetables, sunflowers and grapes | Blight, Botrytis, Purple blotch, Powdery & Downy mildew & Black spot | 0.4–0.8 Kg/Ha |

Before applying this product, please refer to the information on the product label.



## The unique way to secure your yield

**BASF**

We create chemistry

## Secure<sup>®</sup> 240 SC

Secure<sup>®</sup> is a unique insecticide with stomach and contact activity securing your yield from crop damaging insects and mites.

### General Information

|                           |                         |
|---------------------------|-------------------------|
| <b>Product type</b>       | Insecticide             |
| <b>Crops</b>              | Ornamentals             |
| <b>Dose rate</b>          | 0.3 L/Ha or 3 ml/20L    |
| <b>Insect pests</b>       | Spider mites and thrips |
| <b>Active ingredients</b> | <i>Chlorfenapyr</i>     |

### Registration in other countries

| Crops   | Target  | Dose rate   |
|---|---|-------------|
| Broad range of crops:<br>Tomato, Citrus, Potatoes & Cotton, Grapes & Apples | Caterpillars, Tuta absoluta, Tuber moth, Mites, Thrips, Armyworm, Leafminer, Looper | 0.30–1 L/Ha |

Before applying this product, please refer to the information on the product label.



Think high!

**BASF**  
We create chemistry

## Priaxor® 225 EC

Priaxor® is a highly effective and consistent fungicide for the control of a variety of fungi and helps improve crop quality and yield.

### General Information

|                           |  |
|---------------------------|--|
| <b>Product type</b>       | Fungicide  |
| <b>Crops</b>              | Coffee   |
| <b>Dose rate</b>          | 0.8 L/Ha or 16 ml/20L  |
| <b>Diseases</b>           | Coffee Berry Disease   |
| <b>Active ingredients</b> | Xemium® ( <i>fluxapyroxad</i> ) & F 500® ( <i>Pyraclostrobin</i> ) |

### Registration in other countries

| Crops  | Target   | Dose rate |
|--|--|-----------|
| Wheat, Barley, Maize, Rice, Tomatoes, Potatoes, vegetables | Black mold, Early blight, Septoria, leaf spot, Anthracnose, Botrytis gray mold, Stem rot, White mold | 0.8 L/Ha  |

Before applying this product, please refer to the information on the product label.





**Start clean and stay clean**

**BASF**

We create chemistry

## Basta® 200 SL

Basta® is a non-selective, post-emergent herbicide for the control of grasses and broadleaf weeds.

### General Information

|                           |  |
|---------------------------|--|
| <b>Product type</b>       | Herbicide                                |
| <b>Crops</b>              | Coffee, Tea, Bananas, Sisal, Fruit trees |
| <b>Dose rate</b>          | 2 L/Ha or 200 ml/20L                     |
| <b>Weeds</b>              | Grasses and broadleaf weeds              |
| <b>Active ingredients</b> | Glufosinate-ammonium 200 g/l             |

### Registration in other countries

| <b>Crops</b>   | <b>Target</b>                       | <b>Dose rate</b> |
|--|-------------------------------------|------------------|
| Coffee, Tea, Bananas, Sisal; Zero/minimum tillage in Barley, Wheat, Passion fruits, Fruit trees fields; Bush clearing of shrubs in no cropped land | Annual grasses and broad-leaf weeds | 200 ml/20L       |

Before applying this product, please refer to the information on the product label.



**BASF**

We create chemistry

## Termidor® 96 SC

Termidor® is a termiticide for the control of Termites in buildings and construction industry that offers a long residual effect.

**Dose rate** 250 ml/100L

## Fendona® 60 SC

Fendona® is a high performance residual insecticide with rapid knockdown.

**Dose rate** 50 ml/5L

## Goliath® 0.05% Gel

Goliath® is the fastest, most cost-effective cockroach treatment solution.

## Storm® 20G BB

Storm® is the fastest, most effective solution for indoor rat and mouse control.

*Before applying this product, please refer to the information on the product label.*

# BASF Kilimo

## DIGITAL LEARNING




Text the word '**digital**' to 23004 to join our world of digitilization and gain access to BASF digital channels for free.

**BASF**  
We create chemistry



# Explore our solutions by target Crop, Pest or Indication

1  [www.agro.basf.co.ke](http://www.agro.basf.co.ke)


 

8 Results

## Crops

- Cereals
- Maize
- Ornamentals
- Plantations
- Potatoes
- Pulses
- Sugarcane
- Vegetables

Remove all × Cereals × Potatoes × Fungicides × Insecticides × Herbicides ×



## Pest group

- Fungal diseases
- Pests (insects & Rodents)
- Weeds

→ Abacus® Advance 125 SE

→ Acrobat® 69% WG

→ Basagran® 480 SL

## Product type

- Fungicides
- Herbicides
- Insecticides
- Rodenticides
- Termiticides



→ Basta® 200 SL

→ Ceriax® 149.8 EC

→ Orvego® 525 SC

# Original Molecule vs Generic

## Why use original products from BASF?

Use BASF branded products for effective and sustainable farm management.

|   |  |
|---|--|
| <h3>Formulation</h3> <ul style="list-style-type: none"> <li>• Consistent a.i. content and quality.</li> <li>• Highest performance.</li> <li>• Strong adhesion, more product on the crop.</li> </ul>   | <h3>Packaging</h3> <ul style="list-style-type: none"> <li>• Eco friendly packaging easy and flexible to handle.</li> <li>• Special cap with integrated seal.</li> <li>• Embossed logo that assures originality.</li> </ul> |
| <h3>Innovation</h3> <ul style="list-style-type: none"> <li>• Continuous investment in research and development.</li> <li>• Reliable product development that increases yield and cash flow.</li> <li>• Designing solutions that meet the demands of the market and environment.</li> </ul>  | <h3>Local experts on the ground</h3> <ul style="list-style-type: none"> <li>• Excellent customer care.</li> <li>• Knowledge transfer.</li> <li>• Strong partnership and interaction.</li> </ul>                            |
| <h3>Sustainability</h3> <ul style="list-style-type: none"> <li>• Your partner for long term sustainable farming business.</li> <li>• Developing an intergrated approach, including various modes of action to maintain a high level of efficacy for the future.</li> <li>• A product stewardship approach to guarantee the best long term results.</li> </ul> |  |

## Technical and sales support



# Guidelines for the safe and effective use of crop protection products



## Professional Farmer Kit

The professional farmer kit helps farmers to minimize exposure to crop protection products.

## Step 1 - Protective Clothing

Make sure you wear protective clothing in the correct manner at all times.



*Safety Goggles & Protective Cap*



*Face Mask*



*Nitrile Rubber Gloves*



*Heavy Duty or Safety Boots*



## Step 2 - Pre Spraying Precautions

- Do not mix the chemicals without wearing your protective clothing.
- Ensure that sprayer used for the mixing process has no leakages.
- Do not use your hands to mix chemical products as they are harmful to your skin. Use a stick or suitable stirring agent.
- Use a funnel to pour mixed chemicals into the sprayer to avoid spillage.

## Step 3 - Precautions while Spraying

- Ensure you are wearing your protective clothing whilst spraying.
- Do not use your mouth to open any tight packaging.
- Never consume any food or beverage whilst spraying your crop.
- Always read the country specific label before application.

## Step 4 - Precautions after Spraying

- Wash contaminated skin and clothing with soap and water after use.
- Rinse container thoroughly, puncture and dispose off safely.



## **At BASF, we create chemistry for a sustainable future.**

The motivation that drives us is our aspiration: Finding the right balance for success – for farmers, agriculture and future generations.

We connect brilliant product innovation and game-changing thinking with in-depth farming knowledge and practical solutions to help farmers balance the demands of society and the needs of the planet.



To receive farming  
advice via mobile  
SMS, send word  
**'KILIMO'** to **23004**.



 **BASF**

We create chemistry

**BASF East Africa Limited**

☎ +254 20 407 2000 📠 +254 702 191 654

✉ P.O. Box 24271, Nairobi, 00100

📍 The Pavilion, 6<sup>th</sup> Floor Lower Kabete Road. Nairobi, Kenya

📘 [www.facebook.com/BASF.AgriculturalSolutions.KE](https://www.facebook.com/BASF.AgriculturalSolutions.KE)

🌐 [www.agro.basf.co.ke](http://www.agro.basf.co.ke)

National Sales Manager

Mobile: +254 723 946 701

**Notice:** The recommendations of use issued for each product should be carefully observed. Please read the label and product information for instructions on complete directions before use.

