



We create chemistry

Cabrio® 250 EC

Emulsifiable Concentrate
FUNGICIDE (KIUAKUVU)

GUARANTEE (DHAMANA): Pyraclostrobin 250 g/L

**COMMERCIAL AND AGRICULTURAL CLASS
(KUNDI LA KILIMO NA BIASHARA)**

Fungicide for the control of Coffee Berry Disease
(*Colletotrichum kahawae*) in coffee.

(Kiuakuvu kinachodhibiti ugonjwa unaozesha buni za kahawa (CBD) kwenye kahawa).

Shelf life: Two years from the date of manufacture in tightly sealed original unopened containers under cool and dry storage conditions.

(Maisha Rafuni: Miaka miwili kutoka tarehe ya kutengenezwa ikiwa katika chombo chake maalum isipofunguliwa na ikiwekwa katika pahali pakavu pasipo na joto jingi.)

In case of poisoning call Toll Free number 0800720021/0800730030 (24Hrs).

(Wakati wa madhara piga nambari bila malipo 0800720021 /0800730030 (Masaa 24).)

Net Contents (Kipimo Kamili):

1 L

WHO Class II: moderately hazardous



**READ THE LABEL BEFORE USING
(SOMA KIBANDIKO CHA MAELEZO KABLA YA
KUTUMIA)**

**KEEP LOCKED OUT OF REACH OF CHILDREN
(WEKA MBALI NA WATOTO)**

**REGISTRATION NO.: PCPB (CR) 0745
(NAMBARI YA USAJILI):**

**MANUFACTURER/REGISTRANT
(MTENGEZAJI):**
BASF SE, GERMANY

AGENT (AJENTI):
BASF EAST AFRICA
P.O. Box 24271-00100
NAIROBI
TELEPHONE: +254 20 4443454

**MANUFACTURING DATE (TAREHE YA KUTENGENZWA): SEE ANOTHER PLACE ON THE LABEL
(MAELEZO YAPO KWINGINE KWENYE KIBANDIKO HIKI)**

**BATCH NUMBER (NAMBARI YA FURUSHI): SEE ANOTHER PLACE ON THE LABEL
(MAELEZO YAPO KWINGINE KWENYE KIBANDIKO HIKI)**

**EXPIRY DATE (TUMIA KABLA YA): SEE ANOTHER PLACE ON THE LABEL
(MAELEZO YAPO KWINGINE KWENYE KIBANDIKO HIKI)**



Protect to Provide

MEMBERSHIP NUMBER AAK/220

® = Registered Trademark of BASF

81118186KE1067



**HARMFUL
HUDHURU**



DIRECTIONS FOR USE:

Cabrio® 250 EC is an emulsifiable concentrate, systemic fungicide with translaminar action for the control of Coffee Berry Disease (*Colletotrichum kahawae*) in coffee.

MODE OF ACTION:

Cabrio 250 EC contains pyraclostrobin which belong to strobilurin class. Pyraclostrobin blocks the electron transport at the cytochrome bc1 complex by inhibiting the mitochondrial respiration and disrupting the fungal energy supply.

APPLICATION TIMING:

Applications to commence when the crop is most susceptible to Coffee Berry Disease (CBD) i.e. 4-20 weeks after flowering and during ripening, particularly when these periods coincide with wet weather conditions.

MIXING INSTRUCTIONS:

Half fill the spray tank with clean water and start agitation. Shake the product well before opening, measure the required amount of Cabrio® 250 EC and add into the spray tank. Fill the tank with clean water and continue agitation or recirculation. Continue agitation during spraying.

RATES OF APPLICATION/SPRAY INTERVAL:

Crop	Target Pest	Dose Rate	Remarks
Coffee	Coffee Berry Disease (CBD) (<i>Colletotrichum kahawae</i>)	400 ml/ha (8 ml/ 20 L Knapsack)	Cabrio® 250 EC should always be applied as a preventive treatment in a programme, and should be alternated with treatments from different mode of action to avoid resistance according to resistance management principals. (Strobilurin applications should not exceed 30% of the total amount of applications during a Season.)

NOTE: All spray applications must be made with suitable equipment that is in good working order and correctly calibrated and appropriate spray volume per ha (500 L/ha), to give the desired coverage for that particular method of application.

PHI: 45 days

RE-ENTRY INTERVAL: 24 Hours, unless wearing protective clothing

SAFETY PRECAUTIONS:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

STORAGE:

Ensure thorough ventilation of stores and work areas. Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Segregate from foods and animal feeds. Keep away from heat. Protect from direct sunlight. Protect against moisture. Store protected against freezing.

Protect from temperatures below: 0 °C. The packed product must be protected from temperatures below the indicated one.

Protect from temperatures above: 40 °C. Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

DISPOSAL:

On emptying the container, rinse thoroughly by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of container safely in accordance with national regulation.

LEAK AND SPILLS:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). For large amounts: Dike spillage. Pump off product.

Cleaning operations should be carried out only while wearing breathing apparatus. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Incinerate or take to a special waste disposal site in accordance with local authority regulations.

ENVIRONMENTAL HAZARDS:

Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment.

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

FIRST AID MEASURES:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If Inhaled: Keep patient calm, remove to fresh air, and seek medical attention.

On Skin contact: Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes: Wash affected eyes for at least 15 minutes under running water, with eyelids open. Consult an eye specialist.

On Ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

TAKE PATIENT TO DOCTOR**TOXICOLOGICAL INFORMATION:**

Signs and Symptoms of Poisoning: Causes serious eye irritation. Causes skin irritation. Harmful if inhaled. Harmful if swallowed. May be fatal if swallowed and enters airways.

Emergency Antidote: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

MEDICAL ADVICE: Treat according to symptoms (decontamination, vital functions)

In case of poisoning call Toll Free number 0800720021 / 0800730030 (24 Hrs)

NOTICE TO USERS:

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY:

Seller's guarantee is limited to the terms set out on the label and subject there, to the buyer who assumes the risks to persons or property arising from the use or handling of this product and accepts the product on that condition.

MAELEZO YA JUMLA:

Kiuakuvu kifanyacho kazi kwa mguso na kupitia kwenye matawi kinachodhibiti ugonjwa unaozoesha buni za kahawa (CBD) kwenye kahawa.

WAKATI WA MATUMIZI:

Dawa ianze kutumiwa wakati ugonjwa wa Coffee Berry Disease (CBD) unatarajiwa kuanza (wiki 4-20 baada ya kuota maua na kuiva kwa kahawa, hasa wakati wa baridi.)

MAELEZO YA KUCHANGANYA:

Jaza tanki la kunyunyiza na maji safi hadi nusu. Tingisha chupa ya dawa vizuri kabla ya kuifungua. Ukiwa unatingisha bomba jaza kiasi cha. Cabrio® 250 EC kinachohitajika na uongeze kwenye tanki la kunyunyizia. Jaza tanki hilo na maji safi na uendelee kuchanganya na kutikisa.

KIASI CHA KUTUMIA:

MMEA	UGONJWA	KIPIMO	MAELEZO
Kahawa	Coffee Berry Disease (CBD) (<i>Colletotrichum kahawae</i>)	mililita 400/hekta (mililita 8/bomba ya lita 20)	Cabrio® 250 EC hutumiwa kama jinsi ya kinga na ni lazima ibadilishwe na madawa tofauli ya kutibu kuligana na sheria ya kuinga. (Vipimo vya Strobilurin visipite 30% kwa msimu)

FAHAMU: Vipimo vyote ni lazima vipimwe na vifaa vinavyo fanya kazi vizuri. Tumia maji Lita 500 kwa hekta ya kahawa.

MUDA WA KUNGOJA KABLA YA KUVUNA: 45

MUDA WA KUNGOJA KABLA KUIINGIA MAHALI PALIPONUNYIZIWA DAWA: Masaa 24, isipokuwa kama uko na mavazi ya kujikinga.

TAHADHARI KWA MTUMIAJI:

Usile, usinywe wala usivute sigara unapotumia dawa hii. Unapotumia dawa hii zuia kuzusha vumbi, linda macho, vaa nguo za kujikinga kama vile glovu. Overoli na gambuti. Wakati wa kunyunyiza vaa hata kofia na kitu cha kulinda macho. Osha mikononi na ngozi iliyoguswa kabla ya kula, kunywa, kuvuta ama kwenda kwa haja. Jioge baada ya kazi na ufue nguo kabla ya kuzitumia tena.

KUHIFADHI:

Hifadhi dawa ndani ya pakiti yake halisi mahali ambapo ni salama, kavu, na hakuna joto nyingi, penye hewa nyingi na ni mbali na chakula na watoto hawawezi kufikia. Hifadhi mahali palipo na joto isiyochini ya nyuzi 0 au zaidi ya nyuzi 40. Dawa hii inashika moto haraka. Weka mbali na mahali panapoweza kutokea moto. Ikiwezekana weka kizima moto karibu.

KUTUPA MABAKI:

Haribu chombo cha dawa baada ya kuitumia dawa yote iliyomo. Osha chombo cha dawa mara tatu na umwage ule mwosho kwenye tanki la kunyunyizia. Haribu chombo cha dawa baada ya kuitumia dawa yote iliyomo halafu ichome au izike mahali pazuri mbali na mto kuambatana na sheria zilizoko.

DAWA IKIMWAGIKA:

Vaa mavazi ya kujikinga kama ulivyoielezwa hapo juu. Angalia usizushe vumbi. Pangusa dawa iliyomwagika na mchanga au vumbi inayopatikana wakati mbao inapopasuliwa. Safisha mahali palipomwagikiwa na dawa kwa maji mengi yaliyo na sabuni.

HADHARA KWA MAZINGIRA:

Ina madhara kwa samaki na viumbe vingine vinavyoishi kwenye maji. Usichafue vidimbwi vya maji kwa dawa hii au mabaki yake. Usioshe vyombo vilivyotumika karibu na mito. Usimwage mabaki kwenye nyumba za wanyama au barabara.

HUDUMA YA KWANZA:

Mashauri: Hakikisha dawa isimwagikie ngozi, macho na mavazi. Vaa mavazi yenye dawa mara moja. Ukihisi hali mbaya ya afya utumiapo dawa hii, tafadhali muone daktari na umuonyeshe kibandiko cha dawa hii.

Ikivutwa: Peleka mhadhiriwa mahali penye hewa safi na umweke akiwa mtulivu. Mpeleke kwa daktari

Ikiingia kwa Macho: Osha macho kwa maji mengi yanayotiririka kwa muda wa dakika 15 kama macho yamefunguliwa wazi.

Ikishika Ngozi: Vaa mavazi yenye dawa mara moja na usafishe ngozi iliyopata dawa kwa maji mengi. Osha mahali palipopata dawa kwa maji na sabuni.

Ikimezwa: Osha mdomo mara moja. Kunywa maji mengi na umuone daktari. Usimtapishe mhadhiriwa isipokuwa daktari akisema.

PELEKA MJERUHI KWA DAKTARI

MAELEZO KUHUSU SUMU:

Dalili ya kusumika:

Dawa hii inaweza kusababisha mwasho kwenye ngozi na macho. Ina madhara ikivutwa ama ikimezwa.

Tiba: Tibu mgonjwa kulingana na dalili za ugonjwa. Hakuna tiba ijulikanayo kwa sasa

Kukiwa na madhara yoyote piga nambari bila malipo kwa 0800720021/ 0800730030 (Masaa 24)

ILANI KWA WATUMIAJI:

Dawa hii sharti itumiwe kulingana na maagizo kwenye kibandiko hiki tu. Ni hatia chini ya Sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuweka dawa hii mahala pasipo usalama.

THIBITISHO:

Dhamana ya Muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnuuzi lazima akubali hatari zozote zinaweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima akubali dawa hii katika hali hiyo.



We create chemistry

Cabrio® 250 EC

Emulsifiable Concentrate
FUNGICIDE (KIUAKUVU)

GUARANTEE (DHAMANA): Pyraclostrobin 250 g/L

**COMMERCIAL AND AGRICULTURAL CLASS
(KUNDI LA KILIMO NA BIASHARA)**

Fungicide for the control of Coffee Berry Disease
(*Colletotrichum kahawae*) in coffee.

(Kiuakuvu kinachodhibiti ugonjwa unaozesha buni za kahawa (CBD) kwenye kahawa).

Shelf life: Two years from the date of manufacture in tightly sealed original unopened containers under cool and dry storage conditions.

(Maisha Rafuni: Miaka miwili kutoka tarehe ya kutengenezwa ikiwa katika chombo chake maalum isipofunguliwa na ikiwekwa katika pahali pakavu pasipo na joto jingi.)

In case of poisoning call Toll Free number 0800720021/0800730030 (24Hrs).

(Wakati wa madhara piga nambari bila malipo 0800720021 /0800730030 (Masaa 24).)

Net Contents (Kipimo Kamili):

1 L

WHO Class II: moderately hazardous



**READ THE LABEL BEFORE USING
(SOMA KIBANDIKO CHA MAELEZO KABLA YA
KUTUMIA)**

**KEEP LOCKED OUT OF REACH OF CHILDREN
(WEKA MBALI NA WATOTO)**

**REGISTRATION NO.: PCPB (CR) 0745
(NAMBARI YA USAJILI):**

**MANUFACTURER/REGISTRANT
(MTENGEZAJI):**
BASF SE, GERMANY

AGENT (AJENTI):
BASF EAST AFRICA
P.O. Box 24271-00100
NAIROBI
TELEPHONE: +254 20 4443454

**MANUFACTURING DATE (TAREHE YA KUTENGENZWA): SEE ANOTHER PLACE ON THE LABEL
(MAELEZO YAPO KWINGINE KWENYE KIBANDIKO HIKI)**

**BATCH NUMBER (NAMBARI YA FURUSHI): SEE ANOTHER PLACE ON THE LABEL
(MAELEZO YAPO KWINGINE KWENYE KIBANDIKO HIKI)**

**EXPIRY DATE (TUMIA KABLA YA): SEE ANOTHER PLACE ON THE LABEL
(MAELEZO YAPO KWINGINE KWENYE KIBANDIKO HIKI)**



Protect to Provide

MEMBERSHIP NUMBER AAK/220

® = Registered Trademark of BASF

81118186KE1067



**HARMFUL
HUDHURU**



ml
800

700

600

500

400

300

200
ml