

Safety data sheet

Page: 1/15

BASF Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

Version: 3.0

(ID no. 30639721/SDS_CPA_00/EN)

Date of print 06.10.2022

1. Identification

Product identifier

Cabrio® 250 EC

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Operating Division Crop Protection

Telephone: +49 621 60-27777 E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Asp. Tox. 1 Acute Tox. 4 (oral) Acute Tox. 4 (Inhalation - mist) Skin Corr./Irrit. 2

Page: 2/15

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

Version: 3.0

(ID no. 30639721/SDS_CPA_00/EN) Date of print 06.10.2022

Eye Dam./Irrit. 2A STOT SE 3 (irritating to respiratory system) Aquatic Acute 1 Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word: Danger

Hazard Statement:	
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary Statemen	t:
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
Precautionary Statemen	ts (Prevention):
P261	Avoid breathing mist.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves and eye protection or face protection.
Precautionary Statemen	ts (Response):

Page: 3/15

Version: 3.0

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

(ID no. 30639721/SDS_CPA_00/EN)

	Date of print 06.10.2022	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.	
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.	
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for	
	breathing.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove	
	contact lenses, if present and easy to do. Continue rinsing.	
P312	Call a POISON CENTER or physician if you feel unwell.	
P330	Rinse mouth	
P331	Do NOT induce vomiting.	
P332 + P313	If skin irritation occurs: Get medical attention.	
P337 + P311	If eye irritation persists: Call a POISON CENTER or physician.	
P362 + P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
Precautionary Statements (Storage):		
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
Precautionary Statements (Disposal):		
P501	Dispose of contents and container to hazardous or special waste	
	collection point.	

According to UN GHS criteria

Hazard determining component(s) for labelling: Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester, Solvent naphtha (petroleum), heavy arom.

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, fungicide, Emulsifiable concentrate (EC)

Hazardous ingredients (GHS) According to UN GHS criteria

Page: 4/15

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

Version: 3.0

(ID no. 30639721/SDS_CPA_00/EN)

Date of print 06.10.2022

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Content (W/W): 23,6 % CAS Number: 175013-18-0 INDEX-Number: 613-272-00-6 Acute Tox. 3 (Inhalation - mist) Skin Corr./Irrit. 2 STOT SE 3 (irr. to respiratory syst.) Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 100 M-factor chronic: 10 H315, H331, H335, H400, H410

Hydrocarbons, C10-C13, aromatics, <1% naphthalene ND [EXT] Content (W/W): < 75 % Asp. Tox. 1 CAS Number: 64742-94-5 Aquatic Acute 2 Aquatic Chronic 2 H304, H401, H411

2-Ethylhexan-1-ol Content (W/W): < 5 % CAS Number: 104-76-7 EC-Number: 203-234-3

Flam. Liq. 4 Acute Tox. 5 (oral) Acute Tox. 4 (Inhalation - mist) Skin Corr./Irrit. 2 Eye Dam./Irrit. 2A STOT SE 3 (irr. to respiratory syst.) Aquatic Acute 3 H227, H319, H315, H332, H303, H335, H402

Benzenesulfonic acid, 4-C10-13-sec-alkyl d	erivs., calcium salts	
Content (W/W): < 5 %	Acute Tox. 5 (oral)	
CAS Number: 84989-14-0	Acute Tox. 5 (dermal)	
EC-Number: 284-903-7	Skin Corr./Irrit. 2	
	Eye Dam./Irrit. 1	
	Aquatic Acute 2	
	Aquatic Chronic 3	

Naphthalene

Content (W/W): < 1 % CAS Number: 91-20-3 EC-Number: 202-049-5 INDEX-Number: 601-052-00-2 Flam. Sol. 2 Acute Tox. 4 (oral) Carc. 2 Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1 M-factor chronic: 1 H228, H302, H351, H400, H410

H318, H315, H303 + H313, H412, H401

For the classifications not written out in full in this section the full text can be found in section 16.

Page: 5/15

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

Version: 3.0

(ID no. 30639721/SDS_CPA_00/EN) Date of print 06.10.2022

4. First-Aid Measures

Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact: Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

Special hazards arising from the substance or mixture

Carbon monoxide, Hydrogen chloride, Carbon dioxide, nitrogen oxides, organochloric compounds, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment: Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Keep containers cool by spraying with water if exposed to fire.

Page: 6/15

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

Version: 3.0

(ID no. 30639721/SDS_CPA_00/EN)

Date of print 06.10.2022

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability: Storage duration: 60 Months

Protect from temperatures below: 0 °C The packed product must be protected from temperatures below the indicated one. Protect from temperatures above: 40 °C Changes in the properties of the product may occur if substance/product is stored above indicated

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

temperature for extended periods of time.

Control parameters

Components with occupational exposure limits

Page: 7/15

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

Version: 3.0

(ID no. 30639721/SDS_CPA_00/EN)

Date of print 06.10.2022

91-20-3: Naphthalene 104-76-7: 2-Ethylhexan-1-ol 64742-94-5: Solvent naphtha (petroleum), heavy arom.

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: Colour: Odour: Odour threshold:	liquid dark yellow moderate odour, of the solvent contair	ned in the product
Cubul intesticia.	Not determined since harmful by inhalation.	
pH value:	approx. 5 - 7 (CIPAC standard water D, 1 %(m), 20 °C)	
solidification temperature	e: ´approx10 °C	
Boiling range:	Information applies to the solvent. approx. 244 - 292 °C Information applies to the solvent.	
Flash point: Evaporation rate:	98 °C	(ISO 2719)
Flammability:	not applicable not highly flammable	

Page: 8/15

Version: 3.0

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

(ID no. 30639721/SDS_CPA_00/EN)

Lewer evolution liter it.		Date of print 06.10.2022
Lower explosion limit:		
	As a result of our experience with this	
	product and our knowledge of its	
	composition we do not expect any	
	hazard as long as the product is used	
	appropriately and in accordance with	
	the intended use.	
Upper explosion limit:		
	As a result of our experience with this	
	product and our knowledge of its	
	composition we do not expect any	
	hazard as long as the product is used	
	appropriately and in accordance with	
	the intended use.	
Ignition temperature:	475 °C	(Directive 92/69/EEC, A.15)
Vapour pressure:	approx. 0,003 hPa	
	(20 °C)	
	Information applies to the solvent.	
Density:	approx. 1,06 g/cm3	
	(20 °C)	
Relative vapour density		
	not applicable	
Solubility in water:	emulsifiable	
Partitioning coefficient n-	octanol/water (log Kow):	
5	not applicable	
Thermal decomposition:		d as prescribed/indicated.
Viscosity, dynamic:	approx. 17,5 mPa.s	•
<u>,</u>	(20 °C, 100 1/s)	
Viscosity, kinematic:	8,5 mm2/s	
	(40 °C)	
Explosion hazard:	Based on the chemical structure	
	there is no indication of explosive	
	properties.	
Fire promoting properties		
	the product is not classified as	
	oxidizing.	

Other information

Other Information: If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Page: 9/15

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

Version: 3.0

(ID no. 30639721/SDS_CPA_00/EN)

Date of print 06.10.2022

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid: strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Of moderate toxicity after short-term inhalation.

Experimental/calculated data: LD50 rat (oral): > 500 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): 1,213 mg/l 4 h (OECD Guideline 403) An aerosol was tested.

LD50 rat (dermal): > 5.000 mg/kg (OECD Guideline 402) No mortality was observed.

Irritation

Assessment of irritating effects: Skin contact causes irritation. Eye contact causes irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data: Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Respiratory/Skin sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Experimental/calculated data: Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Page: 10/15

Version: 3.0

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

(ID no. 30639721/SDS_CPA_00/EN)

Date of print 06.10.2022

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Naphthalene

Assessment of mutagenicity:

The substance was not mutagenic in bacteria. The substance was mutagenic in a mammalian cell culture test system. The substance was not mutagenic in a test with mammals. Literature data.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Solvent naphtha (petroleum), heavy arom.

Assessment of carcinogenicity:

Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: Naphthalene

Assessment of carcinogenicity:

In long-term studies in rats and mice in which the substance was given by inhalation, a carcinogenic effect was observed. EU-classification The substance was classified as a group 3 carcinogen by the German MAK-Commission (substances for which a suspicion of a carcinogenic potential exists). IARC (International Agency for Research on Cancer) has classified this substance as group 2B (The agent is possibly carcinogenic to humans).

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single: Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Page: 11/15

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

Version: 3.0

(ID no. 30639721/SDS_CPA_00/EN) Date of print 06.10.2022

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Information on: 2-Ethylhexan-1-ol Assessment of repeated dose toxicity: No substance-specific organtoxicity was observed after repeated administration to animals.

Information on: Naphthalene Assessment of repeated dose toxicity: The substance may cause damage to the olfactory epithelium after repeated inhalation.

Information on: Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity: Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish: LC50 (96 h) 0,027 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

Aquatic invertebrates: EC50 (48 h) 0,0649 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants: EC50 (72 h) 3,32 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

Persistence and degradability

Assessment biodegradation and elimination (H2O):

Page: 12/15

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

Version: 3.0

(ID no. 30639721/SDS_CPA_00/EN)

Date of print 06.10.2022

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate Bioaccumulation potential: Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305) Accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments: Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate Assessment transport between environmental compartments: Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Page: 13/15

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

Version: 3.0

(ID no. 30639721/SDS_CPA_00/EN)

Date of print 06.10.2022

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number or ID number: UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es): Packing group: Environmental hazards:	9, EHSM III yes
Special precautions for user:	None known
RID	
UN number or ID number: UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	9, EHSM III yes None known
Inland waterway transport ADN	
UN number or ID number: UN proper shipping name:	UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	9, EHSM III yes None known

Transport in inland waterway vessel Not evaluated

Page: 14/15

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

Version: 3.0

(ID no. 30639721/SDS_CPA_00/EN)

Date of print 06.10.2022

Sea transport

IMDG

UN number or ID number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es): Packing group: Environmental hazards:	III yes
Special precautions for user:	Marine pollutant: YES EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN proper shipping name:	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es): Packing group: Environmental hazards: Special precautions for user:	9, EHSM III yes None known

Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

Page: 15/15

Safety data sheet according to UN GHS 4th rev. Date / Revised: 28.07.2022 Product: **Cabrio® 250 EC**

Version: 3.0

(ID no. 30639721/SDS_CPA_00/EN)

Date of print 06.10.2022

16. Other Information

Full text of classifications Asp. Tox. Acute Tox.	s, hazard symbols and hazard statements, if mentioned in section 2 or 3: Aspiration hazard Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
STOT SE	Specific target organ toxicity — single exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - acute Hazardous to the aquatic environment - chronic
Flam. Liq.	Flammable liquids
Flam. Sol.	Flammable solids
Carc.	Carcinogenicity
H315	Causes skin irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H304	May be fatal if swallowed and enters airways.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H227	Combustible liquid.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H303	May be harmful if swallowed.
H402	Harmful to aquatic life.
H318	Causes serious eye damage.
H303 + H313	May be harmful if swallowed or in contact with skin
H412	Harmful to aquatic life with long lasting effects.
H228	Flammable solid.
H302	Harmful if swallowed.
H351	Suspected of causing cancer.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.