

Document size: 157x62 mm (width x height)
Gross size: 194x62 mm (width x height)



We create chemistry

Cabrio® 250 EC

Emulsifiable Concentrate
FUNGICIDE (KIUAKUVU)

GUARANTEE (DHAMANA):
Pyraclostrobin 250 g/L

COMMERCIAL AND AGRICULTURAL CLASS
(KUNDI LA KILIMO NA BIASHARA)

GROUP (KUNDI)	11	FUNGICIDE (KIUAKUVU)
------------------	----	-------------------------



A fungicide for the control of Coffee Berry Disease (*Colletotrichum kahawae*) occurring in coffee.
(Kiuakuvu kinachodhibiti ugonjwa unaoozesha buni za kahawa (CBD) kwenye kahawa.)

Shelf life: Two years from the date of manufacture in tightly sealed original unopened container under cool and dry storage conditions.

(Maisha Rafuni): Miaka miwili kutoka tarehe ya kutengenezwa ikiwa katika chombo chake maalum isipofunguliwa na ikiwekwa katika pahali pakavu pasipo na joto jingi.)

In case of poisoning call Toll Free number 0800720021/0800730030 (24Hrs).

(Wakati wa madhara piga nambari bila malipo 0800720021/0800730030 (Masaa 24).)

0.25 L

Net Content (Kipimo Kamili):

WHO Class II: Moderately Hazardous



**HARMFUL
(HUDHURU)**

READ THE LABEL BEFORE USING
(SOMA KIBANDIKO CHA MAELEZO
KABLA YA KUTUMIA)

KEEP LOCKED OUT OF REACH OF CHILDREN
(WEKA MBALI NA WATOTO)

REGISTRATION NO. (NAMBARI YA USAJILI): PCPB (CR) 0745

MANUFACTURER/REGISTRANT (MTENGENEZAJI):
BASF SE, GERMANY

AGENT (AJENTI):
BASF EAST AFRICA LIMITED
P.O. BOX 24271-00100
NAIROBI
TELEPHONE: +254 20 407-2000
Email: info.eastafrica@basf.com

MANUFACTURING DATE: SEE ANOTHER PLACE ON THE LABEL OR PACKAGING
(TAREHE YA KUTENGENEZWA): (MAELEZO YAPO KWINGINE KWENYE KIBANDIKO HIKI)

BATCH NUMBER: SEE ANOTHER PLACE ON THE LABEL OR PACKAGING
(NAMBARI YA FURUSHI): (MAELEZO YAPO KWINGINE KWENYE KIBANDIKO HIKI)

EXPIRY DATE: SEE ANOTHER PLACE ON THE LABEL OR PACKAGING
(TUMIA KABLA YA): (MAELEZO YAPO KWINGINE KWENYE KIBANDIKO HIKI)



Protect to Provide
Membership Number:
Nambari ya Uwanachama: AAK/220



4 041885 286079



® = Registered trademark of BASF (Alama ya biashara iliyosajiliwa ya BASF)

81152405 KE 2041



Cabrio® 250 EC

DIRECTIONS FOR USE:

Cabrio® 250 EC is an emulsifiable concentrate, systemic fungicide with translaminar action for the control of Coffee Berry Disease (*Colletotrichum kahawae*) in coffee.

MODE OF ACTION:

Cabrio® 250 EC contains pyraclostrobin which belong to strobilurin class. Pyraclostrobin blocks the electron transport at the cytochrome bc1 complex by Inhibiting the mitochondrial respiration and disrupting the fungal energy supply.

APPLICATION TIMING:

Applications to commence when the crop is most susceptible to Coffee Berry Disease (CBD) I.E. 4-20 weeks after flowering and during ripening, particularly when these periods coincide with wet weather conditions.

Mixing instructions:

Half fill the spray tank with clean water and start agitation. Shake the product well before opening, measure the required amount of Cabrio® 250 EC and add into the spray tank. Fill the tank with clean water and continue agitation or recirculation. Continue agitation during spraying.

Rate of application / spray interval

Crop	Target Pest	Dose Rate	Remarks
Coffee	Coffee Berry Disease (CBD) (<i>Colletotrichum kahawae</i>)	400 ml/ha (8 ml/ 20 L Knapsack)	Cabrio® 250 EC should always be applied as a preventive treatment in a programme, and should be alternated with treatments from different mode of action to avoid resistance according to resistance management principals. (Strobilurin applications should not exceed 30% of the total amount of applications during a Season.)

NOTE: All spray applications must be made with suitable equipment that is in good working order and correctly calibrated and appropriate spray volume per ha (500 L/ha), to give the desired coverage for that particular method of application.

PHI: 45 days

RE-ENTRY INTERVAL: 24 Hours, unless wearing protective clothing

RESISTANCE MANAGEMENT:

Cabrio® 250 EC should be used in accordance with the instructions for use for the target diseases at the indicated conditions. Use Cabrio® 250 EC as part of an Integrated Crop Management strategy incorporating other methods of control. You must alternate Cabrio® 250 EC application and products containing different mode of action or belonging to different FRAC group codes.

Document size: 157x62 mm (width x height)
Gross size: 194x62 mm (width x height)

FOR SPECIFIC INFORMATION ON RESISTANCE CONTACT THE REGISTRATION HOLDER, BASF EAST AFRICA LTD.

SAFETY PRECAUTIONS:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

STORAGE:

Ensure thorough ventilation of stores and work areas. Vapours may form ignitable mixture with air. Prevent electrostatic charge – sources of ignition should be kept well clear – fire extinguishers should be kept handy. Segregate from foods and animal feeds. Keep away from heat. Protect from direct sunlight. Protect against moisture. Store protected against freezing.

Protect from temperatures below: 0 °C. The packed product must be protected from temperatures below the indicated one.

Protect from temperatures above: 40 °C. Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

WASTE DISPOSAL:

On emptying the container, triple rinse thoroughly by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling. Perforate or puncture holes on empty containers and dispose off in accordance with National legislation and Regulation.

DO NOT RE-USE empty containers for any other purpose.

LEAK AND SPILLS:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr). For large amounts: Dike spillage. Pump off product.

Cleaning operations should be carried out only while wearing breathing apparatus. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Incinerate or take to a special waste disposal site in accordance with local authority regulations.

ENVIRONMENTAL HAZARDS:

Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment. Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

FIRST AID MEASURES:

General advice: First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If Inhaled: Keep patient calm, remove to fresh air and seek medical attention.

Skin contact: Immediately wash thoroughly with soap and water, seek medical attention.

Eye contact: Immediately wash affected eyes for at least 15 minutes under running water, with eyelids open. Consult an eye specialist.

Ingestion: Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

TAKE PATIENT TO DOCTOR.

TOXICOLOGICAL INFORMATION:

Signs and Symptoms of Poisoning: Causes serious eye irritation. Causes skin irritation. Harmful if inhaled. Harmful if swallowed. May be fatal if swallowed and enters airways.

Antidote: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Note to physician: Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

In case of poisoning call Toll Free number 0800720021/0800730030 (24Hrs).

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

WARRANTY:

Seller's guarantee is limited to the terms set out on the label and subject there, to the buyer who assumes the risks to persons or property arising from the use or handling of this product and accepts the product on that condition.

Cabrio® 250 EC

MAPENDEKEZO YA UTUMIAJI:

Kiuakuvu kinachodhibiti ugonjwa unaozesha buni za kahawa (CBD) kwenye kahawa.

JINSI INAVYOFANYA KAZI:

Kiuakuvu kifanyacho kazi kwa mguso na kupitia kwenye matawi kinachodhibiti ugonjwa unaozesha buni za kahawa (CBD) kwenye kahawa.

WAKATI WA MATUMIZI:

Dawa ianze kutumiwa wakati ugonjwa wa Coffee Berry Disease (CBD) unatarajiwa kuanza (wiki 4-20 baada ya kuota maua na kuiva kwa kahawa, hasa wakati wa baridi.)

MAELEZO YA KUCHANGANYA:

Jaza tanki la kunyunyizia na maji safi hadi nusu. Tingisha chupa ya dawa vizuri kabla ya kuifungua. Ukiwa unatingisha bomba jaza kiasi cha Cabrio® 250 EC kinachohitajika na ongeze kwenye tanki la kunyunyizia. Jaza tanki hilo na maji safi na uendelee kuchanganya na kutikisa.

KIPIMO CHA KUTUMIA/MUDA WA KURUDIA

MMEA	UGONJWA	KIPIMO	MAELEZO
Kahawa	Coffee Berry Disease (CBD) (<i>Colletotrichum kahawae</i>)	mililita 400/ hekta (mililita 8/bomba ya lita 20)	Cabrio® 250 EC hutumiwa kama jinsi ya kinga na ni lazima ibadilishwe na madawa tofauti ya kutibu kulingana na sheria ya kukinga. (Vipimo vya Strobilurin visipite 30% kwa msimu)

FAHAMU: Vipimo vyote ni lazima vipimwe na vifaa vinavyo fanya kazi vizuri. Tumia maji Lita 500 kwa hekta ya kahawa.

MUDA WA KUNGOJA KABLA YA KUVUNA: siku 45

MUDA WA KUNGOJA KABLA KUIINGIA MAHALI PALIPONUNYIZIWA DAWA: Masaa 24, isipokuwa kama uko na mavazi ya kujikinga.

KUZUIA UZOEFU WA KUVU:

Cabrio® 250 EC itumike kwa mujibu wa maelekezo kwa ajili ya matumizi kwa magonjwa lengo katika hali unaohitajika. Tumia Cabrio® 250 EC kama sehemu ya 'Integrated Crop Management' huku ukitumia njia nyingine ya kudhibiti magonjwa. Badilisha unyunyuzaji wa Cabrio® 250 EC na dawa zilizo katika kikundi kingine.
KWA MAELEZO MAALUM KUHUSU UVUMILIVU WA MMEA, WASILIANA NA WASAJILI HOLDER, BASF EAST AFRICA LTD

TAHADHARI KWA MTUMIAJI:

Usile, usinywe wala usivute sigara unapotumia dawa hii. Unapotumia dawa hii zuia kuzusha vumbi, linda macho, vaa nguo za kujikinga kama vile glovu. Overoli na gambuti. Wakati wa

kunyunyiza vaa hata kofia na kitu cha kulinda macho. Osha mikono na ngozi iliyoguswa kabla ya kula, kunywa, kuvuta ama kwenda kwa haja. Jioshe baada ya kazi na ufue nguo kabla ya kuzitumia tena.

KUHIFADHI:

Hifadhi dawa ndani ya pakiti yake halisi mahali ambapo ni salama, kavu, na hakuna joto nyingi, penye hewa nyingi na ni mbali na chakula na watoto hawawezi kufikia. Hifadhi mahali palipo na joto isiyochini ya nyuzi 0 au zaidi ya nyuzi 40. Dawa hii inashika moto haraka. Weka mbali na mahali panapoweza kutokea moto. Ikiwezekana weka kizima moto karibu.

KUTUPA MABAKI:

Osha chombo cha dawa mara tatu na umwage ule mwosho kwenye tanki la kunyunyiza. Haribu chombo cha dawa kwa kutoboa mashimo baada ya kuitumia dawa yote iliyomo halafu itupe mahali pazuri mbali na mto kuambatana na sheria zilizoko kwenye nchi.

USITUMIE KWA MATUMIZI INGINE.

DAWA IKIMWAGIKA:

Vaa mavazi ya kujikinga kama ulivyoeelezwa hapo juu. Angalia usizushe vumbi. Pangusa dawa iliyomwagika na mchanga au vumbi inayopatikana wakati mbao inapopasuliwa. Safisha mahali palipomwagikiwa na dawa kwa maji mengi yaliyo na sabuni.

HADHARI KWA MAZINGIRA:

Ilina madhara kwa samaki na viumbe vingine vinavyoishi kwenye maji. Usichafue vidimbwi vya maji kwa dawa hii au mabaki yake. Usioshe vyombo vilivyotumika karibu na mito. Usimwage mabaki kwenye nyumba za wanyama au barabara.

HUDUMA YA KWANZA:

Mashauri: Hakikisha dawa isimwagikie ngozi, macho na mavazi. Vua mavazi yenye dawa mara moja. Ukihisi hali mbaya ya afya utumiapo dawa hii, tafadhali muone daktari na umuonyeshe kibandiko cha dawa hii.

Ikiwa imeingizwa: Weka mgonjwa atulie, muke kwenye hewa safi na utafute matibabu.

Kushikwa kwa Ngozi: Mara moja safisha vizuri kwa sabuni na maji, tafuta matibabu.

Kushikwa kwa Macho: Osha macho yaliyoathiriwa kwa muda wa dakika 15 chini ya maji ya kukimbia na kope la jicho likifunguliwa wazi. Wasiliana na mtaalamu wa jicho.

Kumeza: Mara moja suza mdomo na kisha kunywa mililita 200-300 ya maji, tafuta matibabu. Usimtapishe mhadhiriwa isipokuwa daktari akisema.

PELEKA MJERUHI KWA DAKTARI.

MAELEZO KUHUSU SUMU:

Dalili ya kusumika: Dawa hii inaweza kusababisha mwasho kwenye ngozi na macho. Ina madhara ikivutwa ama ikimezwa.

Tiba: Tibu mgonjwa kulingana na dalili za ugonjwa. Hakuna tiba ijulikanayo kwa sasa

Maagizo kwa daktari: Matibabu: Tibu kufuatia dalili (njia ya kuondoa kemikali, viungo muhimu). Hakuna tiba ijulikanayo.

Wakati wa madhara piga nambari bila malipo 0800720021/0800730030 (Masaa 24).

ILANI KWA WATUMIAJI:

Dawa hii sharti itumiwe kulingana na maagizo kwenye kibandiko hiki tu. Ni hatia chini ya Sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuweka dawa hii mahala pasipo usalama.

THIBITISHO:

Dhamana ya Muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinaweza kutokana na matumizi ya dawa hii kwa binadamu au mali na lazima aikubali dawa hii katika hali hiyo.

Document size: 157x62 mm (width x height)
Gross size: 194x62 mm (width x height)



We create chemistry

Cabrio® 250 EC

Emulsifiable Concentrate
FUNGICIDE (KIUAKUVU)

GUARANTEE (DHAMANA):
Pyraclostrobin 250 g/L

COMMERCIAL AND AGRICULTURAL CLASS
(KUNDI LA KILIMO NA BIASHARA)

GROUP (KUNDI)	11	FUNGICIDE (KIUAKUVU)
------------------	----	-------------------------



A fungicide for the control of Coffee Berry Disease (*Colletotrichum kahawae*) occurring in coffee.
(Kiuakuvu kinachodhibiti ugonjwa unaoozesha buni za kahawa (CBD) kwenye kahawa.)

Shelf life: Two years from the date of manufacture in tightly sealed original unopened container under cool and dry storage conditions.
(**Maisha Rafuni:** Miaka miwili kutoka tarehe ya kutengenezwa ikiwa katika chombo chake maalum isipofunguliwa na ikiwekwa katika pahali pakavu pasipo na joto jingi.)

In case of poisoning call Toll Free number 0800720021/0800730030 (24Hrs).
(Wakati wa madhara piga nambari bila malipo 0800720021/0800730030 (Masaa 24).)

0.25 L

Net Content (Kipimo Kamili):

WHO Class II: Moderately Hazardous



**HARMFUL
(HUDHURU)**

READ THE LABEL BEFORE USING
(SOMA KIBANDIKO CHA MAELEZO
KABLA YA KUTUMIA)

KEEP LOCKED OUT OF REACH OF CHILDREN
(WEKA MBALI NA WATOTO)

REGISTRATION NO. (NAMBARI YA USAJILI): PCPB (CR) 0745

MANUFACTURER/REGISTRANT (MTENGENEZAJI):
BASF SE, GERMANY

AGENT (AJENTI):
BASF EAST AFRICA LIMITED
P.O. BOX 24271-00100
NAIROBI
TELEPHONE: +254 20 407-2000
Email: info.eastafrica@basf.com

MANUFACTURING DATE: SEE ANOTHER PLACE ON THE LABEL OR PACKAGING
(TAREHE YA KUTENGENEZWA): (MAELEZO YAPO KWINGINE KWENYE KIBANDIKO HIKI)

BATCH NUMBER: SEE ANOTHER PLACE ON THE LABEL OR PACKAGING
(NAMBARI YA FURUSHI): (MAELEZO YAPO KWINGINE KWENYE KIBANDIKO HIKI)

EXPIRY DATE: SEE ANOTHER PLACE ON THE LABEL OR PACKAGING
(TUMIA KABLA YA): (MAELEZO YAPO KWINGINE KWENYE KIBANDIKO HIKI)



Protect to Provide
Membership Number:
Nambari ya Uwanachama: AAK/220



4 041885 286079

