

Safety data sheet

Page: 1/13

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

1. Identification

Product identifier

Kumulus® 80% DF

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

Details of the supplier of the safety data sheet

Company:
BASF SE
67056 Ludwigshafen
GERMANY
Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number: Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

Label elements

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

Globally Harmonized System (GHS)

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

The product does not require a hazard warning label in accordance with GHS criteria.

Other hazards

According to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

crop protection product, fungicide, water dispersible granules

Hazardous ingredients (GHS)

According to UN GHS criteria

sulfur

Content (W/W): 80 % Skin Corr./Irrit. 2

CAS Number: 7704-34-9 H315

EC-Number: 231-722-6 INDEX-Number: 016-094-00-1

Lignosulfonic acid, sodium salt

Content (W/W): < 20 % CAS Number: 8061-51-6

For the classifications not written out in full in this section the full text can be found in section 16.

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:

Wash thoroughly with soap and water.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Rinse mouth and then drink plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms: No significant reaction of the human body to the product known.

Indication of any immediate medical attention and special treatment needed

Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons:

carbon dioxide

Special hazards arising from the substance or mixture

carbon monoxide, Carbon dioxide, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Avoid raising dust. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

7704-34-9: sulfur

8061-51-6: Lignosulfonic acid, sodium salt

Exposure controls

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Hand protection:

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form: solid

Colour: grey brown to brown

Odour: faint specific odour, sulfur-like

Odour threshold:

Not determined due to potential

health hazard by inhalation.

pH value: approx. 7 - 9 (pH Meter)

(CIPAC standard water D, 1 %(m),

20 °C)

Melting point: approx. 112 - 116 °C

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

Boiling point:

The product is a non-volatile solid.

Flash point:

Flammability:

not applicable

Evaporation rate:

not applicable not flammable approx. 25 g/m3

Lower explosion limit: Upper explosion limit: (VDI 2263)

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Vapour pressure:

The product has not been tested.

Density: approx. 1,88 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Self ignition: Temperature: 246 °C (Method: Directive 92/69/EEC,

A.16)

Thermal decomposition: 165 °C, 50 kJ/kg (DSC (OECD 113))

(onset temperature)

265 °C, 30 kJ/kg (DSC (OECD 113))

(onset temperature) Not a substance liable to self-decomposition

according to UN transport regulations, class 4.1.

Viscosity, dynamic:

not applicable, the product is a solid

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

Other information

Self heating ability: Not tested on account of the low

melting-point.

Bulk density: 870 - 953 kg/m3

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See MSDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 2.200 mg/kg (OECD Guideline 401)

No mortality was observed.

LC50 rat (by inhalation): > 5,4 mg/l 4 h (OECD Guideline 403)

LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402)

No mortality was observed.

Irritation

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

Respiratory/Skin sensitization

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Skin sensitizing effects were not observed in animal studies. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organioxicity was observed after repeated administration to animals.

Aspiration hazard

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss

Aquatic invertebrates:

EC50 (48 h) > 1.000 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 290 mg/l, Ankistrodesmus bibraianus (OECD Guideline 201)

Microorganisms/Effect on activated sludge:

EC50 (18 h) > 2.000 mg/l, Pseudomonas putida (static)

Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: sulfur

Assessment biodegradation and elimination (H2O):

Not applicable for inorganic substances.

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: sulfur

Bioaccumulation potential:

Accumulation in organisms is not to be expected. The product will not be readily bioavailable due to its consistency and insolubility in water.

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

Mobility in soil

Assessment transport between environmental compartments:

Volatility: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: sulfur

Assessment transport between environmental compartments:

Adsorption in soil: Study scientifically not justified.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

Not classified as a dangerous good under transport regulations

UN number: Not applicable

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

Air transport

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation:
Shipment approved:
Pollution name:
Pollution category:
Ship Type:
Not evaluated
Not evaluated
Not evaluated
Not evaluated
Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Page: 13/13

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 31.05.2017 Version: 2.1

Product: Kumulus® 80% DF

(ID no. 30400688/SDS_CPA_00/EN)

Date of print 02.11.2022

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Skin Corr./Irrit. Skin corrosion/irritation H315 Causes skin irritation.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.