

BASF

We create chemistry

READ THE LABEL AND ATTACHED BROCHURE BEFORE USING
(SOMA KIBANDIKO CHA MAELEZO KABLA YA KUTUMIA)
KEEP LOCKED OUT OF REACH OF CHILDREN
(WEKA MBALI NA WATOTO)

Siege® Pro

GRANULAR INSECTICIDE BAIT (KIUADUDU AINA YA CHAMBO)

USE OUTLET:

Granular insecticide bait used in controlling ants in pineapples/ (Chambo aina ya chembe chembe umikayo kuwaua siafu kwenye mananasi)

REGISTRATION NO.
(NAMBARI YA USAJILI):

PCPB (CR) 0968

COMMERCIAL AND
AGRICULTURAL CLASS/
(KUNDI LA KILIMO NA
BIASHARA)

GUARANTEE (DHAMANA):

Hydramethylnon 7.3g/kg



GROUP | KUNDI | 20A | INSECTICIDE | KIUADUDU

Shelf life: Two years from the date of manufacture in tightly sealed original unopened containers under cool and dry storage conditions.

(Maisha Rafuni: Miaka miwili kutoka tarehe ya kutengenezwa ikiwa katika chombo chake maalum kisichofunguliwa na ikiwekwa katika pahali pakavu pasipo na joto jingi.)

**In case of poisoning call Toll Free number
0800720021 / 0800730030 (24Hrs)**

**(Kukiwa na madhara piga nambari bila malipo
0800720021 / 0800730030 (Masaa 24)**

Net Content (Kipimo kamili): 0.454 kg

IEGE is a registered trademark of BASF.

WHO Class U: Unlikely to present acute hazard

81078395 NVA 2022-05-0166-0234 ©2017 BASF Corporation

**MANUFACTURER/REGISTRANT
(MTENGENEZAJI):**

BASF Corporation, U.S.A.

AGENT (AJENTI):

BASF EAST AFRICA

P.O. Box 24271-00100

NAIROBI

TELEPHONE: +254 20 407-2000

info.eastafrica@basf.com

**MANUFACTURING DATE:
(TAREHE YA KUTENGENEZWA)**

**BATCH NUMBER:
(NAMBARI YA FURUSHI)**

**EXPIRY DATE:
(TUMIA KABLA YA)**



**CAUTION
TAHADHARI**

DIRECTIONS OF USE IN PINEAPPLES

Siege® Pro is a granular insecticide bait used in controlling ants in pineapples. It contains hydramethylnon which belongs to the chemical class trifluoromethyl aminohydrazone. As the formulation contains an oil which turns rancid upon prolonged exposure to air, it is recommended that the product be fully used within three months after opening container. Being a slow-acting stomach insecticide, broadcast **Siege® Pro** granular insecticide using ground equipment (spinning disk or turbine types) after ant infestation levels have been determined.

Rate and Timing of application

Crop	Pest	Rate	Timing of Application	Remarks
Pineapples	Big headed ants (<i>Pheidole megacephala</i>) Fire ants (<i>Solenopsis</i> spp)	2 kg/ha	Plant Crop - apply before flora induction (11-12 months after planting) Ratoon Crop - apply before flowering (7-8 months before harvesting) Apply as necessary depending upon infestation levels. Apply as a post plant to periphery and infield roads. Do not apply more than 6.7 kg/ha/year.	Treat fields preferably before an attack. Apply when ants are active, preferably in the late afternoon or at night. Siege® Pro is rapidly broken down in sunlight. Morning applications will be less effective and should be avoided. Do not apply Siege® Pro if rain is expected within 12 hours of application. Affected ants become moribund and die within 24 to 72 hours. Typically, in 1 – 2 weeks, queens and a significant number of ants are killed and activity is reduced. Established colonies may have several queens, so that control with single applications is not always possible. Migration from neighbouring untreated areas and surviving queens from treated nests, will eventually lead to a resurgence of the ant population and re-treatment is essential

CAUTION: Do not apply after flora induction in pineapples (i.e. post differentiation stage).

HANDLING PRECAUTIONS

1. Wear long sleeved shirt and long trousers, PVC gloves and shoes.
2. Avoid contact with skin, eyes and clothing.
3. Wash thoroughly with soap and water after handling.
4. Keep out of ponds, lakes streams and other water sources as the product is toxic to fish.
5. Do not apply if it is likely to rain one hour after application.
6. Do not feed animals with any treated green chop (leaves/stems) for at least 6 months after last application.
7. Do not expose to air due to risk of rancidity. If opened, use within 3 months at the latest.
8. Do not eat, drink or smoke while handling this product.

STORAGE: Store in a cool dry well ventilated place, keeping the original unopened container tightly closed, away from food/feedstuffs, children, pets, sources of heat and oxidizers.

WASTE DISPOSAL

1. Empty the containers completely by thorough shaking.
2. Destroy empty containers to prevent reuse and burn them in a suitable incinerator or bury them in an approved dump site away from natural water source complying with local regulations.

LEAK AND SPILLS: Wear protective clothing as outlined above. Sweep up with spill control material or suitable absorbent material e.g. sand, sawdust or general purpose binder. Clean contaminated floors and objects thoroughly with water and detergents.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not apply directly to lakes, ponds, streams or other water sources. As product may be an attractant to pets and rodents, keep pets away from treated areas for at least 24 hours after application.

FIRST AID INSTRUCTIONS

If inhaled: Remove to fresh air.

If ingested: Drink plenty of water and induce vomiting by touching back of throat with fingers. Seek medical attention. Never induce vomiting to an unconscious person.

If in eyes: Flush immediately with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

If on skin: Wash with plenty of water and soap. Get medical attention if irritation persists.

TAKE PATIENT TO DOCTOR

TOXICOLOGICAL INFORMATION:

Signs and Symptoms of Poisoning: No cases of human poisoning have been reported.

Antidote: There is no specific antidote

Note to physician: Treat symptomatically.

In case of poisoning call Toll Free number 0800720021 / 0800730030 (24 Hrs)

SELLER'S GUARANTEE (WARRANTY):

Seller's guarantee is limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

NOTICE TO USERS:

This pest control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use or store a pest control product under unsafe conditions.

MAPENDEKEZO YA MATUMIZI KWA MANANASI:

Siege® Pro ni chambo aina ya chembe chembe itumikayo kuwaua siafu kwenye mananasi. Ina hydramethylnon ambayo ni ya darasa la kemikali trifluoromethyl aminohydrazone. Unahimizwa kutumia dawa hii kabla ya miezi tatu kuisha kutoka unapoifungua. Hii ni kwa ajili imeundwa na mafuta ambayo hugeuka rangi inapopatana na hewa.

SIEGE PRO ni sumu ya tumbo ya wadudu ambaye hufanya kazi pole pole na inaweza kutawanywa na machini kama ya fertilizer baada ya hawa wadudu kutambulikana. Inapendekezwa kutawanya dawa kabla ya wadudu kushambulia.

Kipimo cha kutumia/Wakati wa kutawanya dawa

Mmea	Wadudu	Kipimo	Saa ya kutawanya dawa	Maelezo zaidi
Mananasi	'Siafu aina ya 'Big headed ants' (<i>Pheidole megacephala</i>) Siafu aina ya 'Fire ants' (<i>Solenopsis</i> spp)	Kilo 2 kwa hectari moja.	Mimea ya kupanda mara ya kwanza - tawanya kabla ya mananasi kutoa maua (yaani baada ya miezi 11 hadi 12 baada ya kupanda mananasi). Mimea ya zamani (Ratoon) - tawanya kabla ya kutoa maua (yaani miezi 7 hadi 8 kabla ya kuvuna). Tawanya punde tu siafu hawa wanapoonekana kwa barabara zilizopo kando ya mimea. Usizidi kipimo cha kilo 6.7 kwa hectari moja kwa mwaka.	Tawanya wakati ambapo siafu wamechanga-mka, haswa wakati wa alasiri au usiku. Siege® Pro inaweza tawanyika haraka wakati wa jua. Epuka unyunyizaji wa dawa asubuhi kwa sababu inaweza sababisha dawa isifanye kazi vizuri. Usinyunyeze Siege® Pro wakati mvua inatarajiwa kwa masaa 12. Wadudu ambao wamek-wisha ambukizwa hukufa baada ya masaa 24 hadi 72. Malkia siafu na siafu wengine huuawa kwa muda wa wiki moja hadi mbili na hivyo basi kupun-guza utendaji kazi wao. Koloni ya wadudu walioanzishwa tena unaweza kuwa na malkia siafu wengi, hivyo basi mtawanyiko wa dawa mara moja hauwezi kuzuia siafu. Uhamiaji wa siafu kutoka sehemu ambayo haijatiwiwa na kurudi tena kwa malkia siafu ambao hawakufa wakati wa kutawanywa dawa mara ya kwanza unaweza pia sababisha siafu kurudi tena na hivyo basi utawanyaji mwingine unahitajika.

JIHADHARI: Usitumie dawa hii baada ya mananasi kutoa maua yake.

TAHADHARI KWA MTUMIAJI

1. Vaa nguo yenye mikono mirefu, suruari ndefu, kinga cha mikono na viatu.
2. Epukana kuguswa kwa ngozi, macho na nguo.
3. Oga kabisa na maji na sabuni.
4. Usinyunyize kwa mto ama sehemu zingine za maji kuwa dawa hii ni sumu kwa samaki.
5. Usinyunyize ikiwa vua inaweza kunyesha kabla ya saa moja kwisha.
6. Usipatie wanyama matawi ya mimea iliyopata dawa kwa muda isiopungua miezi sita baada ya kunyunyiza.
7. Usifungue kwa hewa kwa maana mafuta yake maalum ita haribu ubora wake. Tumia kabla ya miezi tatu ikiwa umefingiwa vyombo vya dawa.
8. Usiile wala kuvuta sigara na kunywa pia unapotumia dawa hii.

UHIFADHI:

Weka dawa ndani ya pakiti yake halisi mahali ambapo ni salama, pakavu, pasipo na joto jingi, kuna hewa nyingi, mbali na vyakula na watoto hawawezi kufikia.

KUTUPA MABAKI: Hakikisha umepepetwa dawa yote kutoka kwenye vyombo vyake. Viharibu vyombo vitupu visitumiwe tena kwa kuvichoma kwa incinerator au kuvizika mahala iliyotengwa maalum mbali na mapitio ya maji kufuatana na sheria za utupaji.

DAWA IKIMWAGIKA:

Jikinge na nguo na vifaa vya kuzuia madhara ya dawa. Funika dawa iliyomwagika na mchanga au vumbi inayopatikana wakati mbao inapopasuliwa (sawdust) halafu uiokote. Osha mahali au vifaa vilivyomwagikiwa na dawa kwa maji mengi na sabuni.

HADHARI KWA MAZINGIRA:

Dawa hii ni sumu kwa samaki. Usinyunyize kwa ziwa ama mahali popote ya maji. Kwa kuwainaweza kuvutia wanyama wengine kama panya nakadhalika, hakikisha wanyama hawawasikaribie mahali pamenyunyiziwa dawa kwa masaa 24 baadaye.

HUDUMA YA KWANZA:

Ikipumuliwa: Pata hewa safi.

Ikimezwa: Kunywa glass mbili za maji na ujitapishe kwa kutia vidole viwili ndani ya koo. Pata ushauri wa daktari. Usimtapishe mtu asiye na fahamu.

Ikiwa Machoni: Safisha na maji nyingi kwa dakika 15 kisha umwone daktari washo ikizidi.

Ikiwa kwa Ngozi: Safisha na maji na sabuni kisha pata matibabu washo ikizidi.

PELEKA MJERUHI KWA DAKTARI

MAELEZO KUHUSU SUMU:

Dalili ya kusumika: Hakuna mahali dawa hii imeripotiwa kudhuru binadamu.

Kiuasumu: Hakuna kinga maalum.

Maagizo kwa daktari:

Tibu kulingana na dalili.

**Kukiwa na madhara yoyote piga nambari bila malipo kwa
0800720021/ 0800730030 (Masaa 24)**

THIBITISHO:

Dhamana ya muuzaji ni maelezo yaliyo kwenye kibandiko ambayo ni lazima yafuatwe kikamilifu. Mnunuzi lazima akubali hatari zozote zinazoweza kutokana na matumizi ya dawa hii kwa binadamu au mali, na lazima aikubali dawa hii katika hali hiyo.

ILANI KWA WATUMIAJI:

Dawa hii sharti itumiwe kulingana na maagizo yaliyo kwenye kibandiko. Ni hatia chini ya sheria za madawa ya kuangamiza wadudu waharibifu kutumia au kuhifadhi dawa hii katika hali isiyo salama.



We create chemistry

READ THE LABEL AND ATTACHED BROCHURE BEFORE USING
(SOMA KIBANDIKO CHA MAELEZO KABLA YA KUTUMIA)
KEEP LOCKED OUT OF REACH OF CHILDREN
(WEKA MBALI NA WATOTO)

Siege® Pro

GRANULAR INSECTICIDE BAIT (KIUADUDU AINA YA CHAMBO)

USE OUTLET:

Granular insecticide bait used in controlling ants in pineapples/ (Chambo aina ya chembe chembe itumikayo kuwaua siafu kwenye mananasi)

**REGISTRATION NO.
(NAMBARI YA USAJILI):**

PCPB (CR) 0968

**COMMERCIAL AND
AGRICULTURAL CLASS/
(KUNDI LA KILIMO NA
BIASHARA)**

GUARANTEE (DHAMANA):

Hydramethylnon 7.3g/kg



GROUP KUNDI 20A INSECTICIDE KIUADUDU

Shelf life: Two years from the date of manufacture in tightly sealed original unopened containers under cool and dry storage conditions.

(Maisha Rafuni: Miaka miwili kutoka tarehe ya kutengenezwa ikiwa katika chombo chake maalum kisichofunguliwa na ikiwekwa katika pahali pakavu pasipo na joto jingi.)

In case of poisoning call Toll Free number

0800720021 / 0800730030 (24Hrs)

(Kukiwa na madhara piga nambari bila malipo

0800720021 / 0800730030 (Masaa 24)

Net Content (Kipimo kamili): 0.454 kg

SIEGE is a registered trademark of BASF.

WHO Class U: Unlikely to present acute hazard

81078395 NVA 2022-05-0166-0234 ©2017 BASF Corporation

**MANUFACTURER/REGISTRANT
(MTENGENEZAJI):**

BASF Corporation, U.S.A.

AGENT (AJENTI):

BASF EAST AFRICA

P.O. Box 24271-00100

NAIROBI

TELEPHONE: +254 20 407-2000

info.eastafrica@basf.com

MANUFACTURING DATE:

(TAREHE YA KUTENGENEZWAA)

BATCH NUMBER:

(NAMBARI YA FURUSHI)

EXPIRY DATE:

(TUMIA KABLA YA)

