

Safety data sheet

Page: 1/16

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.08.2021

Product: **Delan® 500 SC**

Version: 3.0

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

1. Identification

Product identifier

Delan® 500 SC

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

Details of the supplier of the safety data sheet

Company:

BASF SE

67056 Ludwigshafen

GERMANY

Operating Division Crop Protection

Telephone: +49 621 60-27777

E-mail address: Produktinformation-Pflanzenschutz@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 4 (oral)

Acute Tox. 4 (Inhalation - mist)

Skin Corr./Irrit. 2

Eye Dam./Irrit. 2A

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.08.2021

Version: 3.0

Product: **Delan® 500 SC**

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

Skin Sens. 1
 Carc. 2
 Aquatic Acute 1
 Aquatic Chronic 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elements

Globally Harmonized System (GHS)

Pictogram:



Signal Word:

Warning

Hazard Statement:

H302 + H332	Harmful if swallowed or if inhaled
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe mist or vapour.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves, protective clothing and eye protection or face protection.

Precautionary Statements (Response):

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.08.2021

Version: 3.0

Product: **Delan® 500 SC**

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical attention.
P312	Call a POISON CENTER or physician if you feel unwell.
P330	Rinse mouth
P333 + P313	If skin irritation or rash occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P337 + P313	If eye irritation persists: Get medical attention.
P391	Collect spillage.

Precautionary Statements (Storage):

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Labeling of special preparations (GHS):

May produce an allergic reaction. Contains: 1,2-Benzisothiazol-3(2H)-one

According to UN GHS criteria

Hazard determining component(s) for labelling: dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3- dicarbonitrile

Other hazardsAccording to UN GHS criteria

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients**Substances**

Not applicable

MixturesChemical nature

crop protection product, fungicide, suspension concentrate (SC)

BASF Safety data sheet according to UN GHS 4th rev.
 Date / Revised: 04.08.2021
 Product: **Delan® 500 SC**

Version: 3.0

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

Hazardous ingredients (GHS)

According to UN GHS criteria

| dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3- dicarbonitrile

Content (W/W): 41,77 %	Acute Tox. 2 (Inhalation - dust)
CAS Number: 3347-22-6	Acute Tox. 4 (oral)
EC-Number: 222-098-6	Eye Dam./Irrit. 1
INDEX-Number: 613-021-00-0	Skin Sens. 1A
	Carc. 2
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 100
	M-factor chronic: 10
	H302, H317, H318, H330, H351, H400, H410

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts

Content (W/W): < 5 %	Eye Dam./Irrit. 2A
CAS Number: 68425-94-5	Aquatic Acute 3
	Aquatic Chronic 3
	H319, H402, H412

1,2-Benzisothiazol-3(2H)-one

Content (W/W): < 0,05 %	Acute Tox. 4 (oral)
CAS Number: 2634-33-5	Skin Corr./Irrit. 2
EC-Number: 220-120-9	Eye Dam./Irrit. 1
INDEX-Number: 613-088-00-6	Skin Sens. 1
	Aquatic Acute 1
	Aquatic Chronic 1
	M-factor acute: 1
	M-factor chronic: 1
	H318, H315, H302, H317, H400, H410

Specific concentration limit:

Skin Sens. 1: >= 0,05 %

Propane-1,2-diol

Content (W/W): < 10 %
CAS Number: 57-55-6
EC-Number: 200-338-0

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Special hazards arising from the substance or mixture

Carbon monoxide, Carbon dioxide, nitrogen oxides, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 36 Months

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid	
Colour:	brown	
Odour:	faint odour	
Odour threshold:	Not determined since harmful by inhalation.	
pH value:	approx. 3,0 - 5,0 (23 °C)	(OECD Guideline 122)
Melting point:	approx. 0 °C Information applies to the solvent.	

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.08.2021

Version: 3.0

Product: **Delan® 500 SC**

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

Boiling point:	approx. 90 °C (995,8 hPa)	
Flash point:	No flash point - Measurement made up to the boiling point.	(Regulation 440/2008/EC, A.9)
Evaporation rate:	not applicable	
Flammability:	not applicable	
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	280 °C	(Regulation 440/2008/EC, A.15)
Vapour pressure:	approx. 23 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1,20 g/cm ³ (20 °C) approx. 1,19 g/cm ³ (55 °C)	(OECD Guideline 109)
Relative vapour density (air):	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Kow):	not applicable	
Thermal decomposition:	160 °C, 1.090 kJ/kg (DSC (OECD 113)) (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.	
Viscosity, dynamic:	approx. 103 mPa.s (20 °C, 100 1/s)	(OECD 114)
Explosion hazard:	not explosive	(Regulation 440/2008/EC, A.14)
Fire promoting properties:	not fire-propagating	(Regulation 440/2008/EC, A.21)

Other information

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 04.08.2021
Product: **Delan® 500 SC**

Version: 3.0

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 300 - < 2.000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): 2,225 mg/l 4 h (OECD Guideline 403)

An aerosol was tested.

LD50 rat (dermal): > 2.000 mg/kg (OECD Guideline 402)

No mortality was observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Irritation

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 04.08.2021
Product: **Delan® 500 SC**

Version: 3.0

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

Assessment of irritating effects:

Eye contact causes irritation. Skin contact causes irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:

Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: Irritant. (OECD Guideline 405)

Respiratory/Skin sensitization**Assessment of sensitization:**

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile

Experimental/calculated data:

Guinea pig maximization test guinea pig: sensitizing (OECD Guideline 406)

An aqueous solution was tested.

Germ cell mutagenicity**Assessment of mutagenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity**Assessment of carcinogenicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile

Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests.

Reproductive toxicity**Assessment of reproduction toxicity:**

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity**Assessment of teratogenicity:**

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 04.08.2021
Product: **Delan® 500 SC**

Version: 3.0

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile

Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses which impaired body weight gain in parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile

Assessment of repeated dose toxicity:

Repeated exposure may affect certain organs. Damages the kidneys.

Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.08.2021

Product: **Delan® 500 SC**

Version: 3.0

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

Toxicity to fish:

LC50 (96 h) 0,059 mg/l, *Ictalurus punctatus*, syn: *I. robustus* (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) 0,29 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC10 (72 h) 0,286 mg/l (growth rate), *Pseudokirchneriella subcapitata* (static)EC50 (72 h) 0,72 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

Information on: dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile

*Chronic toxicity to fish:**No observed effect concentration (79 d) 0,0039 mg/l, *Oncorhynchus mykiss* (semistatic)*

Information on: dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile

*Chronic toxicity to aquatic invertebrates:**No observed effect concentration (21 d) 0,060 mg/l, *Daphnia magna* (OECD Guideline 211, semistatic)*

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile

*Assessment biodegradation and elimination (H₂O):**According to OECD criteria the product is not readily biodegradable but inherently biodegradable.*

Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile

*Bioaccumulation potential:**Bioconcentration factor: 28 (3 d), *Oncorhynchus mykiss* (OECD Guideline 305 E)**Does not accumulate in organisms.*

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.08.2021

Product: **Delan® 500 SC**

Version: 3.0

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dithianon (ISO); 5,10-dihydro-5,10-dioxonaphtho(2,3-b)(1,4)dithiazine-2,3-dicarbonitrile

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in the Montreal Protocol on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number

UN3082

UN proper shipping name:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.08.2021

Version: 3.0

Product: **Delan® 500 SC**

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

Transport hazard class(es): N.O.S. (contains DITHIANON)
 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known

RID

UN number: UN3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S. (contains DITHIANON)
 Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known

Inland waterway transport**ADN**

UN number: UN3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S. (contains DITHIANON)
 Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

Sea transport**IMDG**

UN number: UN 3082
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
 N.O.S. (contains DITHIANON)
 Transport hazard class(es): 9, EHSM
 Packing group: III
 Environmental hazards: yes
 Marine pollutant: YES
 Special precautions for user: None known

BASF Safety data sheet according to UN GHS 4th rev.
Date / Revised: 04.08.2021
Product: **Delan® 500 SC**

Version: 3.0

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

Air transport

IATA/ICAO

UN number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (contains DITHIANON)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
Shipment approved: Not evaluated
Pollution name: Not evaluated
Pollution category: Not evaluated
Ship Type: Not evaluated

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3 Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

To avoid risks to man and the environment, comply with the instructions for use.

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Sens.	Skin sensitization
Carc.	Carcinogenicity

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 04.08.2021

Version: 3.0

Product: **Delan® 500 SC**

(ID no. 30664315/SDS_CPA_00/EN)

Date of print 05.10.2022

Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H319	Causes serious eye irritation.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
H315	Causes skin irritation.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.